

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|-----------------|------------------|---------|------------------|
| L1 | 1319 | 714/4.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:42 |
| L2 | 19 | L1 and 709/251-253.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:42 |
| L3 | 11 | L1 and (SSA or "serial storage architecture") | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:50 |
| L4 | 30 | L2 L3 | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:42 |
| L5 | 23 | L4 and @ad<"20000717" | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:51 |
| L6 | 1 | L5 and @pd>"20050301" | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:42 |
| L7 | 15 | 709/220-221.ccls. and 709/251.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:43 |
| L8 | 87 | 709/220-221.ccls. and 370/254, 258.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:43 |
| L9 | 2 | (L7 L8) and @pd>"20050301" and @ad<"20000717" | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:48 |
| L10 | 4 | ("6816945" "6421767" "6301639" "5550998").pn. | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:49 |
| L11 | 82 | (initiator same (configur\$3 or map\$4 or inhibit\$3 or stop\$4)) and (SSA or "serial storage architecture") | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:51 |
| L12 | 38 | L11 and @ad<"20000717" | US-PGPUB; USPAT | OR | OFF | 2005/08/25 12:06 |
| L13 | 87853 | initiator | US-PGPUB; USPAT | OR | OFF | 2005/08/25 12:06 |
| L14 | 236 | "serial storage architecture" and SSA | US-PGPUB; USPAT | OR | OFF | 2005/08/25 12:06 |
| L15 | 476 | L13 near (inhibit\$4 or stop\$4 or ceas\$3 or suspend\$3 or halt\$3) | US-PGPUB; USPAT | OR | OFF | 2005/08/25 12:06 |
| L16 | 0 | L14 and L15 | US-PGPUB; USPAT | OR | OFF | 2005/08/25 12:06 |
| L17 | 0 | L16 and @pd>"20050301" | US-PGPUB; USPAT | OR | OFF | 2005/08/25 12:07 |
| L18 | 4 | (inhibbit\$3 or stop\$4 or halt\$3) near2 initiator and (SSA or "serial storage architecture") | US-PGPUB; USPAT | OR | OFF | 2005/08/25 12:07 |
| L19 | 0 | L18 and @pd>"20050301" | US-PGPUB; USPAT | OR | OFF | 2005/08/25 12:07 |
| S1 | 420 | 709/248.ccls. | US-PGPUB; USPAT | OR | OFF | 2003/12/29 13:59 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S2 | 243 | 709/251.ccls. | US-PGPUB; USPAT | OR | OFF | 2003/12/29 13:59 |
| S3 | 7 | 709/248.ccls. and 709/251.ccls. | US-PGPUB; USPAT | OR | OFF | 2003/12/29 14:04 |
| S4 | 1700 | 709/220-221.ccls. | US-PGPUB; USPAT | OR | OFF | 2003/12/29 14:04 |
| S5 | 12 | 709/220-221.ccls. and 709/251.ccls. | US-PGPUB; USPAT | OR | OFF | 2003/12/29 14:31 |
| S6 | 639 | 370/254,258.ccls. | US-PGPUB; USPAT | OR | OFF | 2003/12/29 14:31 |
| S7 | 59 | 709/220-221.ccls. and 370/254,258.ccls. | US-PGPUB; USPAT | OR | OFF | 2003/12/29 14:42 |
| S8 | 190 | "serial storage architecture" | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:12 |
| S9 | 203 | "serial storage architecture" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/07/14 15:00 |
| S10 | 9 | "serial storage architecture" and "X3T10.1" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 17:05 |
| S11 | 2 | ("serial storage architecture" or SSA) and "bucket brigade" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/12/29 15:00 |
| S12 | 1 | (duplex or "bi-directional") same network same configur\$3 same initiator | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/12/29 15:04 |
| S13 | 164 | network same configur\$5 same initiator | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/12/29 15:05 |
| S14 | 2 | (network same configur\$5 same initiator) and (PIM or "port information map") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/12/29 15:08 |
| S15 | 27 | (network same configur\$5 same initiator) same port\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/12/29 15:08 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S16 | 10 | ((network same configur\$5 same initiator) same port\$1) and @ad<"20000717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/12/29 15:08 |
| S17 | 1 | adaptec.as. and wilson.in. | US-PGPUB; USPAT | OR | OFF | 2003/12/29 16:28 |
| S18 | 1 | (reconfigur\$3 or chang\$3) near3 port same (RAID or SSA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 17:10 |
| S19 | 114 | (reconfigur\$3 or chang\$3) near3 port and (RAID or SSA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 17:10 |
| S20 | 25 | (reconfigur\$3 or chang\$3) near3 port same state and (RAID or SSA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 17:11 |
| S21 | 14 | ((reconfigur\$3 or chang\$3) near3 port same state and (RAID or SSA)) and @ad<"20000717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 17:11 |
| S22 | 0 | "serial storage architecture" and @ad<"2000717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 17:15 |
| S23 | 132 | "serial storage architecture" and @ad<"20000717" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 17:27 |
| S24 | 84 | "serial storage architecture" and @ad<"20000717" and itself | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 17:28 |
| S25 | 14 | "serial storage architecture" and @ad<"20000717" and (itself same port) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 18:44 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S26 | 5 | 709/221.ccls. and 709/252-253.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/12 18:45 |
| S27 | 235 | (inhibit\$3 or stop\$4 or halt\$3) near2 initiator | US-PGPUB; USPAT | OR | OFF | 2004/01/14 14:51 |
| S28 | 4 | (inhibit\$3 or stop\$4 or halt\$3) near2 initiator and (SSA or "serial storage architecture") | US-PGPUB; USPAT | OR | OFF | 2004/01/14 14:54 |
| S29 | 44 | (inhibit\$3 or stop\$4 or halt\$3) near2 initiator and network | US-PGPUB; USPAT | OR | OFF | 2004/01/14 14:53 |
| S30 | 102 | (inhibit\$3 or stop\$4 or halt\$3) near2 initiator and network | US-PGPUB; USPAT | OR | OFF | 2004/01/14 14:53 |
| S31 | 4 | (inhibit\$3 or stop\$4 or halt\$3) near2 initiator and (SSA or "serial storage architecture") | US-PGPUB; USPAT | OR | OFF | 2004/01/14 14:54 |
| S32 | 59 | ((inhibit\$3 or stop\$4 or halt\$3) near2 initiator and network) and @ad<"20000717" | US-PGPUB; USPAT | OR | OFF | 2004/01/14 15:01 |
| S33 | 1 | 709/208,211.ccls. and (SSA or "serial storage architecture") | US-PGPUB; USPAT | OR | OFF | 2004/01/14 15:01 |
| S34 | 21 | 709/208,211.ccls. and 709/251, 252,253.ccls. | US-PGPUB; USPAT | OR | OFF | 2004/01/14 15:01 |
| S35 | 17 | (709/208,211.ccls. and 709/251, 252,253.ccls.) and @ad<"20000717" | US-PGPUB; USPAT | OR | OFF | 2004/01/14 15:01 |
| S36 | 31 | "serial storage architecture" and @pd>"20031230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/07/14 15:00 |
| S37 | 6 | blair.xa. and douglas.xa. | US-PGPUB; USPAT | OR | OFF | 2004/07/15 10:51 |
| S38 | 0 | "6766367" | US-PGPUB; USPAT | OR | OFF | 2004/07/15 10:52 |
| S39 | 0 | "6766367".pn. | US-PGPUB; USPAT | OR | OFF | 2004/07/15 10:52 |
| S40 | 83305 | initiator | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:11 |
| S41 | 217 | "serial storage architecture" and SSA | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:28 |
| S42 | 445 | S40 near (inhibit\$4 or stop\$4 or ceas\$3 or suspend\$3 or halt\$3) | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:13 |
| S43 | 0 | S41 and S42 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:13 |

| | | | | | | |
|-----|------|---|-----------------|----|-----|------------------|
| S44 | 1430 | S40 near3 (inhibit\$4 or stop\$4 or ceas\$3 or suspend\$3 or halt\$3) | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:16 |
| S45 | 2 | S41 and S44 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:16 |
| S46 | 2251 | S40 near5 (inhibit\$4 or stop\$4 or ceas\$3 or suspend\$3 or halt\$3) | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:16 |
| S47 | 2 | S41 and S46 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:17 |
| S48 | 1 | S46 and "bucket brigade" | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:21 |
| S49 | 585 | 709/251-253.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:21 |
| S50 | 28 | S49 and S40 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:22 |
| S51 | 1 | S50 and S41 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:23 |
| S52 | 0 | S46 and S49 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:23 |
| S53 | 2631 | 709/220-222.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:24 |
| S54 | 0 | S53 and S46 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:24 |
| S55 | 33 | S53 and S49 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:24 |
| S56 | 1 | S55 and (S40 S41) | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:28 |
| S57 | 2363 | "serial storage architecture" or SSA | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:28 |
| S58 | 0 | S57 same S46 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:28 |
| S59 | 6 | S57 and S46 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:29 |
| S60 | 192 | S57 and S40 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:30 |
| S61 | 31 | S57 same S40 | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:30 |
| S62 | 23 | S61 and @ad<"20000717" | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:30 |
| S63 | 1 | "5901280".pn. | US-PGPUB; USPAT | OR | OFF | 2005/03/16 19:57 |
| S64 | 9 | blair.xa. and douglas.xa. | US-PGPUB; USPAT | OR | OFF | 2005/03/17 12:14 |
| S65 | 1202 | 714/4.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/17 12:14 |
| S66 | 17 | S65 and 709/251-253.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/17 12:14 |

| | | | | | | |
|-----|----|--|--------------------|----|-----|------------------|
| S67 | 11 | S65 and (SSA or "serial storage architecture") | US-PGPUB; USPAT | OR | OFF | 2005/03/17 12:15 |
| S68 | 28 | S66 S67 | US-PGPUB; USPAT | OR | OFF | 2005/03/17 12:15 |
| S69 | 22 | S68 and @ad<"20000717" | US-PGPUB; USPAT | OR | OFF | 2005/08/25 11:42 |


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "((serial storage architecture<in>metadata)) <and> (pyr >= 1990 <and> pyr <= 2000)"

☒ e-mail

Your search matched 3 of 1227909 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[Modify Search](#)
[New Search](#)

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article information

- ☐ 1. **Supporting continuous media: Is Serial Storage Architecture (SSA) better?**
Sangyup Shim; Taisheng Chang; Yuewei Wang; Jenwei Hsieh; Du, D.H.C.;
Multimedia Computing and Systems '97. Proceedings., IEEE International Con
3-6 June 1997 Page(s):640 - 641
Digital Object Identifier 10.1109/MMCS.1997.609795
[AbstractPlus](#) | Full Text: [PDF](#)(168 KB) IEEE CNF
- ☐ 2. **Interface comparisons: SSA versus FC-AL**
Du, D.H.C.; Tai-Sheng Chang; Jenwei Hsieh; Yuewei Wang; Sangyup Shim;
Concurrency, IEEE [see also IEEE Parallel & Distributed Technology]
Volume 6, Issue 2, April-June 1998 Page(s):55 - 70
Digital Object Identifier 10.1109/4434.678818
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(252 KB) IEEE JNL
- ☐ 3. **SSA: a high-performance serial interface for unparalleled connectivity**
Wilson, A.;
Compcon '96. 'Technologies for the Information Superhighway' Digest of Paper
25-28 Feb. 1996 Page(s):274 - 279
Digital Object Identifier 10.1109/CMPCON.1996.501782
[AbstractPlus](#) | Full Text: [PDF](#)(484 KB) IEEE CNF


[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -

 indexed by